

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 7/16	A1	(11) International Publication Number: WO 99/33438 (43) International Publication Date: 8 July 1999 (08.07.99)
(21) International Application Number: PCT/US98/26270 (22) International Filing Date: 10 December 1998 (10.12.98) (30) Priority Data: 09/002,131 31 December 1997 (31.12.97) US (71)(72) Applicant and Inventor: CARLIN, Edward, J. [US/US]; 794 5th Street, Secaucus, NJ 07094 (US). (74) Agent: JACOB, Arthur, 25 East Salem Street, P.O. Box 686, Hackensack, NJ 07602 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: METHOD FOR DETERRING SMOKING (57) Abstract A method for reducing the desire of a person to smoke tobacco includes orally administering to the person an aqueous solution containing a polyvalent cation derived from a metal selected from the group consisting of palladium, copper, zinc, aluminum, tin, and bismuth. The method includes smoking tobacco by the person to whom the solution is administered, subsequent to the oral administration of the solution.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakistan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

METHOD FOR DETERRING SMOKING

5 The present invention relates generally to assisting smokers of tobacco in deterring smoking and pertains, more specifically, to reducing the desire to smoke by orally administering aqueous solutions containing polyvalent cations of selected metals.

10 Among the very large number of cigarette smokers in the United States alone, there are many who wish to reduce or altogether discontinue the consumption of cigarettes, but are unable to do so readily because of a developed physical or psychological dependence on cigarettes. Recent
15 revelations concerning the effects of cigarette smoking on a smoker's health have given increased impetus to some smokers toward reducing or discontinuing the practice, with the result that a variety of smoking deterrents have been offered in an effort to assist smokers in accomplishing
20 their goal. However, many products currently being promoted as smoking deterrents have been found to exhibit significant drawbacks.

25 As documented in the Federal Register, Volume 47, No. 2, at page 492, many purported smoking deterrents are merely strong flavors, such as capsicum, ginger, eucalyptus oil and the like, or topical anesthetics, such as clove, menthol, benzocaine and the like, which, in addition to changing the taste of a cigarette, also will contaminate or
30 significantly alter the perceived taste of any other ingested product. Even in the absence of eating or drinking when using these materials, the consumer essentially merely is exchanging the condition of tasting and smelling of tobacco smoke for the condition of continually tasting and smelling of some herbaceous material.

35 Lobelia alkaloids and pharmaceutical equivalents thereof have been used as smoking deterrents, and have been found to cause unwanted and potentially dangerous respiratory stimulation, as well as euphoric effects. Smoking of lobelia alkaloids has been found to produce

sufficient psychoactive effects to be regarded as a marijuana substitute.

5 The use of the nitrate or acetate of silver as a smoking deterrent raises the risk of developing a non-reversible blue-black tinting of the skin, clinically known as argyria. Additionally, the tendency of silver salts to form insoluble complexes with many materials limits the manner in which compounds containing silver salts may be formulated, and restricts the properties of the finished product.

10 A more recently approved treatment for assisting in the reduction or discontinuance of smoking is the administration of nicotine, either orally or via transdermal delivery systems. It has been suggested that nicotine is the physically addictive component of tobacco and hence the administration of nicotine will satisfy the desire to smoke tobacco without actually smoking. However, nicotine itself is highly toxic and acts relatively rapidly to exhibit curare-like symptoms; therefore, therapeutic doses of nicotine must be very carefully controlled and given with specific, strict instructions.

15 The present invention avoids the shortcomings and limitations encountered in the use of products and treatments outlined above and attains several objects and advantages, some of which are summarized as follows: Provides a method for reducing the desire of a person to smoke tobacco without reliance upon currently available taste-masking techniques and all of the inherent drawbacks of such techniques; enables a smoker to deter smoking tobacco safely and effectively, and without exposure to deleterious side effects; provides a smoker with a simplified and relatively inexpensive yet effective method for reducing the desire to smoke; enables a smoker to deter smoking with increased ease and convenience; provides a method for deterring smoking, which method is amenable to widespread use, making the method available to a very large audience for adoption with minimal effort.

The above objects and advantages, as well as further objects and advantages, are attained by the present invention which may be described briefly as a method for reducing the desire of a person to smoke tobacco, the method comprising: orally administering to the person an aqueous solution containing a polyvalent cation derived from a metal selected from the group consisting of palladium, copper, zinc, aluminum, tin, and bismuth. Further, the method includes smoking tobacco by the person to whom the solution is administered, subsequent to the oral administration of the solution.

The invention will be understood more fully, while still further objects and advantages will become apparent, in the following detailed description of preferred embodiments of the invention.

In accordance with the present invention, an aqueous solution of polyvalent cations derived from one or more of the following metals:

	Palladium	Zinc	Tin
	Copper	Aluminum	Bismuth

is introduced into the mouth of a smoker. Preferably, the aqueous solution contains about 0.005 to 5.0 percent by weight of a salt or a mixture of salts of the selected metal or metals. For some time subsequent to the introduction of the aqueous solution, upon smoking by the person to whom the aqueous solution is administered, the taste of tobacco smoke, and more particularly, cigarette smoke, is significantly altered in a manner serving to deter the desire of the person to whom the aqueous solution is administered to continue smoking. The solution preferably includes flavoring ingredients for increasing palatability, and is delivered in any one of a variety of forms, the preferred form being either a mouthwash or a spray. All that is necessary is to expose the mouth of the human smoker to the aqueous solution of the invention, and the taste of cigarette smoke is rendered undesirable enough for a sufficient duration to discourage smoking and thereby

assist the smoker in reducing or entirely discontinuing smoking.

5 The following are illustrative examples of aqueous solutions formulated in accordance with the invention and administered orally by rinsing with twenty milliliters of solution for thirty seconds. All of the solutions in the following examples included 4% ethyl alcohol, 0.9% poloxamer 407, 0.9% polysorbate 20, about 0.38 to 0.68% flavoring ingredients, and 50% glycerin, all by weight, 10 with the balance being distilled water.

EXAMPLE 1

An aqueous solution containing 0.25% copper gluconate was found to be effective at one and one-half hours after oral administration.

15

EXAMPLE 2

An aqueous solution containing 0.35% copper gluconate was found to be effective at one, two, three, and four hours, and overnight, after oral administration.

EXAMPLE 3

20 An aqueous solution containing 0.20% palladium chloride was found to be effective at one hour after oral administration.

EXAMPLE 4

25 An aqueous solution containing 0.20% zinc gluconate was found to be effective at one hour after oral administration.

EXAMPLE 5

30 An aqueous solution containing 0.20% aluminum chloride was found to be effective at one hour after oral administration.

EXAMPLE 6

An aqueous solution containing 0.20% stannic chloride was found to be effective at one hour after oral administration.

EXAMPLE 7

An aqueous solution containing 0.20% bismuth chloride was found to be effective at one hour after oral administration.

5 It will be apparent that the present invention attains the several objects and advantages summarized above, namely: Provides a method for reducing the desire of a person to smoke tobacco without reliance upon currently available taste-masking techniques and all of the inherent
10 drawbacks of such techniques; enables a smoker to deter smoking tobacco safely and effectively, and without exposure to deleterious side effects; provides a smoker with a simplified and relatively inexpensive yet effective method for reducing the desire to smoke; enables a smoker
15 to deter smoking with increased ease and convenience; provides a method for deterring smoking, which method is amenable to widespread use, making the method available to a very large audience for adoption with minimal effort.

20 It is to be understood that the above detailed description of preferred embodiments of the invention is provided by way of example only. Various details of procedure may be modified without departing from the true spirit and scope of the invention, as set forth in the appended claims.

The embodiments of the invention in which an exclusive property or privilege is claimed are defined as follows:

1. A method for reducing the desire of a person to smoke tobacco, the person being a smoker of tobacco, desiring to reduce the desire to smoke, the method comprising: orally administering to the person an aqueous solution containing a polyvalent cation derived from a metal selected from the group consisting of palladium, copper, zinc, aluminum, tin, and bismuth.
2. The method of claim 1 wherein the aqueous solution contains about 0.005 to 5.0 percent by weight of a salt of the selected metal.
3. The method of claim 2 wherein the aqueous solution contains flavor.
4. The method of claim 3 wherein the aqueous solution is a mouthwash.
5. A method for reducing the desire of a person to smoke tobacco, the person being a smoker of tobacco, desiring to reduce the desire to smoke, method comprising: orally administering to the person an aqueous solution containing a mixture of polyvalent cations derived from metals selected from the group consisting of palladium, copper, zinc, aluminum, tin, and bismuth.
6. The method of claim 5 wherein the solution contains about 0.005 to 5.0 percent by weight of a mixture of salts of the selected metals.
7. The method of claim 6 wherein the aqueous solution contains flavor.

8. The method of claim 7 wherein the solution is a mouthwash.

5 9. The method of any one of claims 1 through 8 including smoking tobacco by the person to whom the solution is administered, subsequent to the oral administration of the solution.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/26270

A. CLASSIFICATION OF SUBJECT MATTER IPC(6) :A61K 7/16 US CL :424/49 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S. : 424/49 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) APS		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4,747,417 A (BESKIN) 31 May 1988, smoking preventing silver acetate flavored mouthwash; gives an unpleasant metallic taste discouraging smoking.	1 to 9
E&T	US 5,888,479 A (CARLIN) 30 March 1999.	1 to 9
A	US 5,032,612 A (SMOLKO et al.) 16 July 1991 silver acetate bitter tasting smoking aversion mouthwash.	1 To 9
A	US 4,980,172 A (FEY) 25 December 1990, sweetened silver anti-smoking mouthwash.	1 to 9
A	US 5,628,986 A (SANKER et al.) 13 May 1997, copper mouthwash.	1 to 9
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* *A* *E* *L* *O* *P*	Special categories of cited documents: document defining the general state of the art which is not considered to be of particular relevance earlier document published on or after the international filing date document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) document referring to an oral disclosure, use, exhibition or other means document published prior to the international filing date but later than the priority date claimed	*T* *X* *Y* *A* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family
Date of the actual completion of the international search 14 APRIL 1999		Date of mailing of the international search report 28 MAY 1999
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230		Authorized officer SHEP ROSE <i>Shep Rose</i> Telephone No. (703) 308-1235

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/26270

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,286,479 A (GARLICH et al.) 15 February 1994, copper mouthwash.	1 to 9
A	US 5,211,940 A (ISHIGURO et al.) 18 May 1993, copper mouthwash.	1 to 9
Y	US 4,257,430 A (COLLINS et al.) 24 March 1981, palladium smoking tobacco.	1 to 9
Y	US 4,216,784 A (NORMAN et al.) 12 August 1980, palladium smoking tobacco.	1 to 9
Y	US 4,177,822 A (BRYANT, Jr. et al.) 11 December 1979, palladium smoking tobacco.	1 to 9
Y	US 4,055,191 A (NORMAN et al.) 25 December 1977, palladium smoking tobacco.	1 to 9
Y	US 3,572,348 A (NORMAN et al.) 23 March 1971 palladium or zinc smoking tobacco.	1 to 9